

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 03/17/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Klor Scrub
Product code : 9200

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Manual cleaner; Foaming General Cleaner

1.3. Details of the supplier of the safety data sheet

Ace Chemical Products, Inc. 8415 N. 87th Street Milwaukee, WI 53224 - USA T (414) 357-8515 - F (414) 3

T (414) 357-8515 - F (414) 357-8528 info@acechem.com - www.acechem.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Corr. 1A H314

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-US) : P260 - Do not breathe dust, mist, spray

P264 - Wash all exposed body parts thoroughly after handling

P280 - Wear eye protection, face protection, protective clothing, protective gloves

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P310 - Immediately call a doctor, a POISON CENTER

P321 - Specific treatment - see First Aid measures on this label

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P406 - Store in corrosion-resistant container with a resistant inner liner

P501 - Dispose of contents/container to proper treatment facilities in accordance with all

applicable local, state & federal regulations

Do not mix with acid or ammonia - may release dangerous chlorine gas.

Do not mix with other products

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

03/30/2015 EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
sodium carbonate	(CAS No) 497-19-8	20 - 30	Skin Corr. 1A, H314
Sodium Dichloro-S-Triazine Trione	(CAS No) 2893-78-9	1 - 5	Acute Tox. 4 (Oral), H302

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Never give anything by mouth to an unconscious person.

First-aid measures after inhalation

Respiratory problems: consult a doctor/medical service. Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact

: Wash immediately with lots of water (15 minutes)/shower. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Do not apply (chemical) neutralizing agents. Do not remove clothing if it sticks to the skin. Cover wounds with sterile bandage. Consult a doctor/medical service. Take victim to a doctor if irritation persists.

First-aid measures after eye contact

Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Cover eyes aseptically. Take victim to an ophthalmologist. Do not apply neutralizing agents. Obtain medical attention if pain, blinking or redness persist.

First-aid measures after ingestion

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Never give anything by mouth to an unconscious person. Call a POISON CENTER/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries

: Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation

EXPOSURE TO HIGH CONCENTRATIONS: Dry/sore throat. Respiratory difficulties. Irritation of the respiratory tract. Possible laryngeal spasm/oedema. FOLLOWING SYMPTOMS MAY APPEAR LATER: Risk of pneumonia. Risk of lung oedema.

Symptoms/injuries after skin contact

: Caustic burns/corrosion of the skin. Slow-healing wounds. ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation.

Symptoms/injuries after eye contact

: Corrosion of the eye tissue. Permanent eye damage. Blindness.

Symptoms/injuries after ingestion

: Abdominal pain. Difficulty in swallowing. Possible esophageal perforation. Burns to the gastric/intestinal mucosa. AFTER ABSORPTION OF HIGH QUANTITIES: Change in the haemogramme/blood composition. Disturbances of heart rate. Low arterial pressure. Blood in stool. Bleeding of the gastrointestinal tract. Shock.

Symptoms/injuries upon intravenous

administration

: No effects known.

Chronic symptoms

: Permanent eye damage. Corrosion of the eye tissue. Dry skin. Slow-healing wounds.

4.3. Indication of any immediate medical attention and special treatment needed

Obtain immediate medical attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

 $: \ \ \, \mathsf{EXTINGUISHING} \,\, \mathsf{MEDIA} \,\, \mathsf{FOR} \,\, \mathsf{SURROUNDING} \,\, \mathsf{FIRES} \! : \, \mathsf{All} \,\, \mathsf{extinguishing} \,\, \mathsf{media} \,\, \mathsf{allowed}.$

Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media

: No unsuitable extinguishing media known. Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard

: No fire hazard.

Explosion hazard

: No direct explosion hazard.

Reactivity

: Thermal decomposition generates : Corrosive vapours.

5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection.

03/30/2015 EN (English) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Face-s

: Gloves. Face-shield. Corrosion-proof suit. Large spills/in enclosed spaces: compressed air apparatus. Large spills/in enclosed spaces: gas-tight suit. See "Material-Handling" to select

protective clothing.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers. Consult "Material-handling" to

select material of containers. Plug the leak, cut off the supply. Knock down/dilute dust cloud

with water spray.

Methods for cleaning up : Stop dust cloud by humidifying with water. Scoop solid spill into closing containers. See

"Material-handling" for suitable container materials. Wash down leftovers with plenty of water.

Wash clothing and equipment after handling.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide local exhaust or general room ventilation. Do not

breathe dust, mist, spray. Avoid contact during pregnancy/while nursing.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash all exposed body parts thoroughly

after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in original container. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Direct sunlight.

Maximum storage period : 1 year

Storage area : Store in a cool area. Keep out of direct sunlight. Store in a dry area. Store in a dark area. Keep

locked up. Provide for a tub to collect spills. Keep only in the original container. Meets the legal

requirements.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Powdered Chlorinated Manual Cleaner	
ACGIH	Not applicable
OSHA	Not applicable

sodium carbonate (497-19-8)	
ACGIH	Not applicable
OSHA	Not applicable

Sodium Dichloro-S-Triazine Trione (2893-78-9)	
ACGIH	Not applicable
OSHA	Not applicable

03/30/2015 EN (English) 3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. **Exposure controls**

: GIVE EXCELLENT RESISTANCE: No data available. GIVE GOOD RESISTANCE: butyl Materials for protective clothing

rubber. PVC. GIVE LESS RESISTANCE: No data available. GIVE POOR RESISTANCE: No

data available.

No data available

Hand protection Gloves.

Safety glasses. In case of dust production: protective goggles. Eye protection

Skin and body protection Protective clothing.

Respiratory protection : Dust production: dust mask with filter type P1.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid Appearance Granular powder. Colour White or off-white Odour No data available Odour threshold No data available рΗ No data available 5 (10 - 12) % pH solution Relative evaporation rate (butylacetate=1) No data available Melting point No data available Freezing point No data available Boiling point No data available No data available Flash point Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available No data available Vapour pressure Relative vapour density at 20 °C No data available

Soluble in water. Solubility Water: 100 % Log Pow No data available Log Kow No data available No data available Viscosity, kinematic Viscosity, dynamic No data available

Explosive properties None.

Oxidising properties No data available. **Explosive limits** : No data available

Other information 9.2.

VOC content : 0%

SECTION 10: Stability and reactivity

10.1. Reactivity

Relative density

Thermal decomposition generates: Corrosive vapours.

10.2. **Chemical stability**

Hygroscopic. Absorbs the atmospheric CO2.

Possibility of hazardous reactions

No additional information available

10.4. **Conditions to avoid**

Direct sunlight.

Incompatible materials

No additional information available

03/30/2015 EN (English) 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

sodium carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg (Rat; Experimental value)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Experimental value)
ATE US (oral)	2800.000 mg/kg bodyweight

Sodium Dichloro-S-Triazine Trione (2893-78-9)		
LD50 oral rat	1420 mg/kg (Rat; Literature study; 1436 mg/kg bodyweight; Rat; Experimental value)	
LD50 dermal rabbit	6000 mg/kg (Rabbit; Literature study; >5000 mg/kg bodyweight; Rabbit; Experimental value)	
ATE US (oral)	1420.000 mg/kg bodyweight	
ATE US (dermal)	6000.000 mg/kg bodyweight	

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : EXPOSURE TO HIGH CONCENTRATIONS: Dry/sore throat. Respiratory difficulties. Irritation

of the respiratory tract. Possible laryngeal spasm/oedema. FOLLOWING SYMPTOMS MAY

APPEAR LATER: Risk of pneumonia. Risk of lung oedema.

Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin. Slow-healing wounds. ON CONTINUOUS/REPEATED

EXPOSURE/CONTACT: Skin rash/inflammation.

Symptoms/injuries after eye contact : Corrosion of the eye tissue. Permanent eye damage. Blindness.

Symptoms/injuries after ingestion : Abdominal pain. Difficulty in swallowing. Possible esophageal perforation. Burns to the gastric/intestinal mucosa. AFTER ABSORPTION OF HIGH QUANTITIES: Change in the

gastric/intestinal mucosa. AFTER ABSORPTION OF HIGH QUANTITIES: Change in the haemogramme/blood composition. Disturbances of heart rate. Low arterial pressure. Blood in

stool. Bleeding of the gastrointestinal tract. Shock.

Symptoms/injuries upon intravenous

administration

: No effects known.

Chronic symptoms : Permanent eye damage. Corrosion of the eye tissue. Dry skin. Slow-healing wounds.

SECTION 12: Ecological information

12.1. Toxicity

sodium carbonate (497-19-8)	
LC50 fish 1	300 mg/l (96 h; Lepomis macrochirus)
EC50 Daphnia 1	< 424 mg/l (48 h; Daphnia magna)
EC50 other aquatic organisms 1	14 mg/l (168 h; Plankton)
LC50 fish 2	740 mg/l (96 h; Gambusia affinis)
EC50 Daphnia 2	265 mg/l (48 h; Daphnia magna)
TLM fish 1	300 ppm (96 h; Lepomis macrochirus)
TLM other aquatic organisms 1	500 ppm (96 h; Daphnia magna)
Threshold limit algae 1	242 mg/l (5 days; Algae)

03/30/2015 EN (English) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium Dichloro-S-Triazine Trione (2893-78-9)	
LC50 fish 1	0.28 - 0.46 mg/l (96 h; Lepomis macrochirus)
EC50 Daphnia 1	0.28 mg/l (48 h; Daphnia magna)
LC50 fish 2	0.12 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)

12.2. Persistence and degradability

sodium carbonate (497-19-8)	
Persistence and degradability	Biodegradability: not applicable. Low potential for adsorption in soil.
ThOD	Not applicable (inorganic)

Sodium Dichloro-S-Triazine Trione (2893-78-9	
Persistence and degradability	Not readily biodegradable in water.

12.3. Bioaccumulative potential

sodium carbonate (497-19-8)	
Log Pow	-6.19 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

Sodium Dichloro-S-Triazine Trione (2893-78-9)	
Log Pow	-0.06 (Estimated value)
Bioaccumulative potential	Bioaccumulation: not applicable.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations

: Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Precipitate/make insoluble. Remove to an authorized dump (Class I). Do not discharge into drains or the environment. May be discharged to wastewater treatment installation.

SECTION 14: Transport information

In accordance with DOT

Not regulated for transport

Additional information

Other information

: No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

03/30/2015 EN (English) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

O; R8 Xi; R36/37

Full text of R-phrases: see section 16 15.2.2. National regulations

15.3. US State regulations

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage

NFPA health hazard : 2 - Intense or continued exposure could cause temporary

incapacitation or possible residual injury unless prompt

medical attention is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard Physical : 0 Minimal Hazard

Personal Protection : C

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

03/30/2015 EN (English) 7/7